


	<b>Caudal entrada</b>	<b>AGUA BRUTA</b>			<b>AGUA TRATADA</b>			<b>REND. ELIMINACION</b>	
		<b>pH</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>	<b>pH</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>
<b>Día</b>	m3/día	-	mg/l	mg/l	-	mg/l	mg/l	%	%
1	6.952	7,5	510	360	8,2	58	10	89	97
2	7.726	7,2	610	280	8,1	47	12	92	96
3	7.888	7,1	900	351	8,1	52	12	94	97
4	8.026	7,5	743	430	8,3	55	14	93	97
5	7.795	7,3	892	467	8,2	56		94	
6	8.296								
7	7.355								
8	7.209	7,3	791	400	7,6	60	24	92	94
9	7.564	7,0	715	325	7,9	56	20	92	94
10	7.381	7,2	919	501	7,5	63	14	93	97
11	7.995	7,3	1.003	313	7,8	46	20	95	94
12	8.556								
13	7.544								
14	7.545								
15	6.923	7,4	644	420	8,3	44	24	93	94
16	7.865	7,2	689	437	7,9	57	10	92	98
17	8.352	7,6	340	180	7,4	55	20	84	89
18	9.342	7,5	407	192	7,0	39	19	90	90
19	10.010	7,4	512	119	7,3	32	3	94	97
20	11.393								
21	11.591								
22	11.019	7,5	596	400	7,7	24	21	96	95
23	10.861	7,5	440	260	7,6	42	27	90	90
24	10.071	7,7	519	153	7,9	41	4	92	97
25	10.048	7,5	819	428	8,0	32	4	96	99
26	9.326	7,6	758	371	8,3	40	7	95	98
27	9.284								
28	8.468								
29	8.593	7,5	706	540	8,2	43	2	94	100
30	8.164	7,4	673	300	8,2	38	18	94	94
31	8.799	7,5	687	392	8,1	41	19	94	95
<b>MED</b>	8.643	7,4	676	346	7,9	46	14	93	95
<b>MIN</b>	6.923	7,0	340	119	7,0	24	2	84	89
<b>MAX</b>	11.591	7,7	1.003	540	8,3	63	27	96	100
<b>TOTAL</b>	267.941	-	-	-	-	-	-	-	-

## Rendimientos EDAR El Torno - Marzo'15



	<b>Caudal entrada</b>	<b>AGUA BRUTA</b>			<b>AGUA TRATADA</b>			<b>REND. ELIMINACION</b>	
		<b>pH</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>	<b>pH</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>	<b>D.Q.O.</b>	<b>D.B.O.5</b>
<b>Día</b>	m3/día	-	mg/l	mg/l	-	mg/l	mg/l	%	%
1	4.334	7,8	518	320	7,4	27	9	95	97
2	4.506	7,5	514	260	7,6	23	22	95	92
3	4.328	7,7	543	203	7,7	20	2	96	99
4	4.204	7,7	399	150	6,9	23	3	94	98
5	4.092	7,5	568	94	7,2	28	4	95	96
6	3.661								
7	3.944								
8	3.933	7,6	560	300	7,2	27	25	95	92
9	3.424	7,1	588	200	7,1	30	12	95	94
10	4.192	7,6	577	181	7,0	24	3	96	99
11	4.218	7,4	455	94	6,9	22	10	95	89
12	3.823								
13	4.062								
14	4.296								
15	4.210	7,6	588	360	7,5	26	6	96	98
16	4.769	7,4	1.178	542	7,4	24	3	98	99
17	6.324	7,5	500	240	7,0	28	4	94	99
18	9.155	7,3	624	202	7,0	25	11	96	95
19	12.863	7,4	933	291	7,2	16	2	98	99
20	14.583								
21	17.131								
22	13.468	7,6	256	140	7,6	20	4	92	97
23	8.496	7,5	350	240	7,2	22	7	94	97
24	9.585	7,5	409	153	7,2	19	3	95	98
25	6.603	7,6	514	76	7,5	20	2	96	97
26	5.645	7,7	430	183	7,3	33	5	92	97
27	5.501								
28	5.922								
29	5.613	7,7	527	180	7,4	38	16	93	91
30	5.923	7,8	471	300	7,6	31	18	93	94
31	6.111	7,6	475	224	7,6	24	9	95	96
<b>MED</b>	6.417	7,5	544	224	7,3	25	8	95	96
<b>MIN</b>	3.424	7,1	256	76	6,9	16	2	92	89
<b>MAX</b>	17.131	7,8	1.178	542	7,7	38	25	98	99
<b>TOTAL</b>	198.919	-	-	-	-	-	-	-	-

## Rendimientos EDAR La Barrosa - Marz'15

